

# SMITH MILLWORK

INTERIOR AND EXTERIOR BUILDING PRODUCTS

## FULL LINE

## CATALOG

*YOUR SOURCE FOR PREMIUM  
BUILDING PRODUCTS SINCE 1979*



MOULDINGS • DECKING • RAILING • COLUMNS • DOORS • AND MORE





### Moulding a Better America with Quality and Service

Smith Millwork, Inc. is a manufacturer and distributor of high quality moulding and building products. We can run any profile out of almost any species of lumber. Choose from the many profiles in this catalog, or let us custom match your sample with our in-house tooling capabilities. We also stock a wide range of building materials from decking and railing to doors and columns.

Since our beginnings in 1979, we've served customers throughout the Southeast with the best craftsmanship, quality, and service available in the millwork industry. We strive to build customer confidence through competence, reliability, and courtesy.

We look forward to serving your needs.



TED SMITH  
President and CEO  
Smith Millwork, Inc.

Stock and Custom Moulding | Doors and Components | Decking and Porch Flooring | Exterior Millwork  
Railing | Columns | PVC Moulding and Boards



# Table of Contents

## STOCK MOULDING

|                                 |        |
|---------------------------------|--------|
| Astragals .....                 | 6      |
| Backband .....                  | 6      |
| Base Cap .....                  | 6      |
| Baseboard .....                 | 7-8    |
| Bed Mould .....                 | 8      |
| Brick Mould .....               | 8      |
| Casing .....                    | 9-10   |
| Chair Rail & Backer Board ..... | 11-12  |
| Chamfer Strip .....             | 12     |
| Corner Guard .....              | 12     |
| Cove Mould .....                | 13     |
| Crown .....                     | 14-16  |
| Dentil Crown .....              | 17     |
| Dentil Mould .....              | 17     |
| Flooring Accessories .....      | 18     |
| Jamb .....                      | 19-21  |
| Lattice .....                   | 21     |
| Mullion .....                   | 21     |
| Panel Mould .....               | 22     |
| Paneling .....                  | 22     |
| Picture Mould .....             | 22     |
| Rounds .....                    | 22     |
| Screen Mould .....              | 23     |
| Shingle Mould .....             | 23     |
| Shoe Mould.....                 | 23     |
| Sill .....                      | 23     |
| S4S Board .....                 | 24     |
| Stool .....                     | 24 -25 |
| Stop .....                      | 24     |

## COLUMNS

|                                          |       |
|------------------------------------------|-------|
| Round Tapered Fiberglass Columns .....   | 28-29 |
| Pro-Lite Square Fiberglass Columns ..... | 30-31 |
| CPVC Bungalow Column Wraps .....         | 31    |
| Aluminum Columns .....                   | 32-33 |

## DOORS

|                              |       |
|------------------------------|-------|
| Interior Doors .....         | 36    |
| Interior Moulded Doors ..... | 37-39 |
| Barn Door Collection .....   | 40    |
| Barn Door Hardware .....     | 41    |

## DECKING

|                                            |    |
|--------------------------------------------|----|
| I.Dekk .....                               | 44 |
| Optima .....                               | 44 |
| DuxxBak - Water Shedding Deck System ..... | 45 |
| Distinction Cool Tread Decking .....       | 46 |
| Ridge Premium Decking .....                | 47 |

## EXTERIOR MILLWORK

|                                 |    |
|---------------------------------|----|
| Exterior Trim Boards .....      | 50 |
| Edge & Center Bead Siding ..... | 50 |
| Fascia Boards .....             | 50 |
| Sheets .....                    | 51 |
| Porch Floor .....               | 51 |
| Decking Boards .....            | 51 |
| Shiplap Siding .....            | 52 |
| Nickel Gap .....                | 52 |
| V-Groove .....                  | 52 |
| Flat Crown .....                | 53 |
| Rabbeted Trim .....             | 53 |


## EXTERIOR MILLWORK - PVC

|                           |    |
|---------------------------|----|
| Base Cap .....            | 54 |
| Bed Mould .....           | 54 |
| Brick Mould .....         | 54 |
| Crown .....               | 54 |
| Drip Cap .....            | 54 |
| Mullion .....             | 54 |
| Quarter Round .....       | 55 |
| Shingle Mould .....       | 55 |
| Sill .....                | 55 |
| Trim Board & Sheets ..... | 55 |
| Lattice .....             | 55 |

## RAILING & ACCESSORIES

|                                   |       |
|-----------------------------------|-------|
| Aluminum Railing System .....     | 58-59 |
| Cable Railing & Accessories ..... | 60-61 |
| Pre-Assembled Rail Panels .....   | 61    |
| Vinyl Rail Systems .....          | 62    |
| Vinyl Rail Kits .....             | 62    |
| Vinyl Rail Accessories .....      | 62    |
| Composite Railing .....           | 63    |









# STOCK MOULDING

---




## Stock Moulding


ALL PROFILES APPEAR AT SCALE

- For your convenience, we build “job pack” orders
- Most profiles are available in flexible material
- Special order options exist for almost every component

### ASTRAGALS




SM 1305  
1 $\frac{1}{4}$  X 2 X 7' - PINE  
1 $\frac{1}{4}$  X 2 X 8' - PINE



KERFED ASTRAGALS  
1 $\frac{7}{16}$  X 3 $\frac{1}{8}$  X 7' - PINE  
1 $\frac{7}{16}$  X 3 $\frac{1}{8}$  X 8' - PINE

### BACKBAND



SM 280  
1 $\frac{1}{16}$  X 1 $\frac{1}{16}$  - PINE




SM 281  
1 $\frac{1}{16}$  X 1 $\frac{1}{8}$  - PINE, RED OAK, PRIMED

### BASE CAP



SM 163  
1 $\frac{1}{16}$  X 1 $\frac{3}{8}$  - PINE, RED OAK, PRIMED



SM 164  
1 $\frac{1}{16}$  X 1 $\frac{1}{8}$  - PINE, PVC



SM 166  
1 $\frac{1}{16}$  X 1 $\frac{1}{4}$  - PINE



SM 172  
 $\frac{5}{8}$  X  $\frac{3}{4}$  - PINE



## Stock Moulding

### BASEBOARD



SM 713  
 $\frac{9}{16}$  X  $3\frac{1}{4}$   
PINE, PRIMED

SM 710  
 $\frac{9}{16}$  X  $4\frac{1}{4}$   
PINE



SM 618  
 $\frac{9}{16}$  X  $5\frac{1}{4}$  - PINE, PRIMED

SM 620  
 $\frac{9}{16}$  X  $4\frac{1}{4}$  - PINE, PRIMED  
 $\frac{7}{16}$  X  $4\frac{1}{4}$  - RED OAK  
 $\frac{1}{2}$  X  $4\frac{1}{4}$  - MDF

SM 623  
 $\frac{9}{16}$  X  $3\frac{1}{4}$  - PINE, PRIMED  
 $\frac{7}{16}$  X  $3\frac{1}{4}$  - RED OAK  
 $\frac{1}{2}$  X  $3\frac{1}{4}$  - MDF




SM 4000-5  
 $\frac{9}{16}$  X  $5\frac{1}{4}$   
PINE, PRIMED



SM 4000-7  
 $\frac{9}{16}$  X  $7\frac{1}{4}$  - PRIMED

## Stock Moulding

### BASEBOARDS




SM 163 (A & B AVAILABLE IN 1/2")

A -  $\frac{9}{16}$  X  $5\frac{1}{4}$  - MDF

B -  $\frac{9}{16}$  X  $7\frac{1}{4}$  - MDF

C -  $\frac{11}{16}$  X  $9\frac{1}{4}$  - MDF

### BED MOULD



SM 70

$\frac{9}{16}$  X  $2\frac{3}{4}$  - PINE



SM 74

$\frac{9}{16}$  X  $1\frac{3}{4}$


PINE, PRIMED, RED OAK



SM 75

$\frac{9}{16}$  X  $1\frac{5}{8}$  - PRIMED, PVC

### BRICK MOULD




SM 180

$1\frac{1}{4}$  X 2 - PINE, PRIMED, RED OAK, PVC



## Stock Moulding


### CASING




SM 213  
1 X 4 - MDF




SM 327  
 $1\frac{1}{16}$  X  $2\frac{1}{4}$  - PINE, PRIMED



SM 356  
 $1\frac{1}{16}$  X  $2\frac{1}{4}$  - PINE, PRIMED  
 $\frac{9}{16}$  X  $2\frac{1}{4}$  - RED OAK  
 $\frac{5}{8}$  X  $2\frac{1}{4}$  - MDF



SM 366  
 $1\frac{1}{16}$  X  $2\frac{1}{4}$  - PINE, PRIMED  
 $\frac{5}{8}$  X  $2\frac{1}{4}$  - MDF



SM 376  
 $1\frac{1}{16}$  X  $2\frac{1}{4}$  - PRIMED



SM 440  
 $1\frac{1}{16}$  X  $2\frac{1}{2}$  - PINE



SM 442  
 $1\frac{1}{16}$  X  $2\frac{1}{4}$  - PINE, PRIMED



SM 444  
 $1\frac{1}{16}$  X  $3\frac{1}{4}$  - PINE, PRIMED  
 $\frac{9}{16}$  X  $3\frac{1}{4}$  - RED OAK  
 $\frac{5}{8}$  X  $3\frac{1}{4}$  - MDF

SM 444 A  
 $1\frac{1}{16}$  X  $3\frac{1}{2}$  - PINE

## Stock Moulding

### CASING




**SM 445**

$\frac{11}{16}$  X  $3\frac{1}{4}$  - PINE, PRIMED  
 $\frac{9}{16}$  X  $3\frac{1}{4}$  - RED OAK  
 $\frac{5}{8}$  X  $3\frac{1}{4}$  - MDF


**SM 445 A**

$\frac{11}{16}$  X  $3\frac{1}{2}$  - PINE



**SM 351**

$\frac{11}{16}$  X  $2\frac{1}{2}$  - PINE




**SM 460**

$1\frac{1}{16}$  X  $3\frac{5}{8}$  - PINE, PRIMED



**SM RB 3**

$1\frac{1}{16}$  X  $3\frac{1}{2}$  - PINE, PRIMED  
 $1$  X  $3\frac{1}{2}$  - MDF




**SM 5806**

$\frac{3}{4}$  X  $5\frac{1}{2}$  - POPLAR

## Stock Moulding

### CHAIR RAIL AND BACKER BOARD



**SM S7**


1<sup>1</sup>/<sub>16</sub> X 3<sup>1</sup>/<sub>2</sub> - PINE

1 X 3<sup>1</sup>/<sub>2</sub> - MDF



**SM 297**

1<sup>1</sup>/<sub>16</sub> X 3 - PRIMED



**SM 300**


1<sup>1</sup>/<sub>16</sub> X 3 - PINE, PRIMED



**SM 390**

1<sup>1</sup>/<sub>16</sub> X 2<sup>5</sup>/<sub>8</sub> - PINE, PRIMED

5/8 X 2<sup>5</sup>/<sub>8</sub> - RED OAK



**SM 293**


3/4 X 1<sup>5</sup>/<sub>8</sub> - BASSWOOD

1<sup>1</sup>/<sub>16</sub> X 1<sup>5</sup>/<sub>8</sub> - RED OAK




## Stock Moulding

### CHAIR RAIL AND BACKER



**SM 1002**  
1<sup>1</sup>/<sub>16</sub> X 2<sup>5</sup>/<sub>8</sub> - RED OAK




**RB 42**  
1<sup>1</sup>/<sub>16</sub> X 1<sup>5</sup>/<sub>8</sub> - PRIMED




**S6-5**  
7<sup>7</sup>/<sub>16</sub> X 5<sup>1</sup>/<sub>4</sub> - PINE, MDF  
**S6**  
7<sup>7</sup>/<sub>16</sub> X 4<sup>1</sup>/<sub>2</sub> - PINE, PRIMED

### CHAMFER STRIP




**SM 995**  
3<sup>3</sup>/<sub>4</sub> X 3<sup>3</sup>/<sub>4</sub> - POPLAR

### CORNER GUARD




**SM 205**  
1<sup>1</sup>/<sub>8</sub> X 1<sup>1</sup>/<sub>8</sub> - PINE




**SM 206**  
3<sup>3</sup>/<sub>4</sub> X 3<sup>3</sup>/<sub>4</sub> - PINE

## Stock Moulding

### COVE MOULD




**SM 85**  
 $\frac{9}{16}$  X  $1\frac{3}{4}$  - PINE



**SM 100**  
 $1\frac{1}{16}$  X  $1\frac{1}{16}$  - PINE


**SM 93**  
 $\frac{3}{4}$  X  $\frac{3}{4}$  - RED OAK, WHITE OAK

### CROWN




**CURTIS CROWN**  
 $1\frac{1}{16}$  X 5 - PRIMED

**SM 527**  
 $\frac{5}{8}$  X 5 - MDF



**SM 41**  
 $1\frac{1}{16}$  X 7 - MDF

**SM 45**  
 $\frac{9}{16}$  X  $5\frac{1}{4}$  - PRIMED, MDF



**SM 49**  
 $\frac{9}{16}$  X  $3\frac{5}{8}$  - PINE, PRIMED, MDF, PVC  
 $\frac{1}{2}$  X  $3\frac{5}{8}$  - RED OAK




**SM 52**  
 $\frac{9}{16}$  X  $2\frac{3}{4}$  - PINE, PRIMED  
 $\frac{1}{2}$  X  $2\frac{3}{4}$  - RED OAK

**SM 47**  
 $\frac{9}{16}$  X  $4\frac{5}{8}$  - PINE, PRIMED, MDF, RED OAK, PVC  
 $\frac{1}{2}$  X  $4\frac{5}{8}$  - MDF


## Stock Moulding

### CROWN




**SM 54**

$\frac{9}{16}$  X  $2\frac{1}{4}$  - PINE



**SM 500**

1 X  $6\frac{5}{16}$  - MDF




**SM 501**

$\frac{3}{4}$  X  $5\frac{1}{2}$  - MDF

**SM 601**

$\frac{3}{4}$  X  $7\frac{1}{4}$  - MDF




**SM 504**


$\frac{11}{16}$  X 7 - MDF

Stock Moulding

CROWN



**SM 505**  
1 x 7 - MDF



**SM 513**  
1 1/8 x 8 - MDF




**SM 562**  
1 1/8 x 7 1/4 - MDF




Stock Moulding

CROWN



**SM 653**

$\frac{3}{4}$  X  $5\frac{1}{4}$  - MDF




**SM 1102**

$\frac{5}{8}$  X  $4\frac{1}{4}$  - PRIMED

## Stock Moulding

### DENTIL CROWN




**SM 438**

$1\frac{1}{16}$  X  $4\frac{1}{4}$  - PRIMED

**SM 439 - NO TEETH**

$1\frac{1}{16}$  X  $4\frac{1}{4}$  - PRIMED

### DENTIL MOULD



**PINE PLAIN DENTIL MOULDING**

$\frac{1}{2}$  X  $1\frac{3}{4}$

(NOT SHOWN ACTUAL SIZE)

## Stock Moulding

### FLOORING ACCESSORIES

#### LANDING TREAD

1<sup>1</sup>/<sub>16</sub> X 3<sup>1</sup>/<sub>4</sub> - RED OAK, YELLOW PINE

1<sup>1</sup>/<sub>16</sub> X 5<sup>1</sup>/<sub>4</sub> - RED OAK, YELLOW PINE, WHITE OAK


#### SM 8091

1<sup>1</sup>/<sub>16</sub> X 5<sup>1</sup>/<sub>4</sub> - RED OAK, WHITE OAK




#### THRESHOLD

5/8 X 3 5/8 - RED OAK



#### NOSING

1<sup>1</sup>/<sub>16</sub> X 1<sup>1</sup>/<sub>4</sub> - RED OAK, YELLOW PINE



#### STEP TREADS PLAIN

1<sup>1</sup>/<sub>32</sub> X 11<sup>1</sup>/<sub>2</sub> X 36" - RED OAK

1<sup>1</sup>/<sub>32</sub> X 11<sup>1</sup>/<sub>2</sub> X 42" - RED OAK, WHITE OAK

1<sup>1</sup>/<sub>32</sub> X 11<sup>1</sup>/<sub>2</sub> X 48" - RED OAK, WHITE OAK & MDF

1<sup>1</sup>/<sub>32</sub> X 11<sup>1</sup>/<sub>2</sub> X 54" - RED OAK & WHITE OAK


1<sup>1</sup>/<sub>32</sub> X 11<sup>1</sup>/<sub>2</sub> X 60" - RED OAK & WHITE OAK

1<sup>1</sup>/<sub>32</sub> X 11<sup>1</sup>/<sub>2</sub> X 72" - RED OAK

#### YELLOW PINE TREAD

1 X 11<sup>1</sup>/<sub>8</sub> X 12'

1 X 11<sup>1</sup>/<sub>8</sub> X 16'



#### RETURN TREADS REVERSIBLE

1 X 11<sup>1</sup>/<sub>2</sub> X 42" - RED OAK & WHITE OAK

1 X 11<sup>1</sup>/<sub>2</sub> X 48" - RED OAK & WHITE OAK

1 X 11<sup>1</sup>/<sub>2</sub> X 54" - RED OAK & WHITE OAK

1 X 11<sup>1</sup>/<sub>2</sub> X 60" - RED OAK

#### STAIR RISERS

3/4 X 7<sup>1</sup>/<sub>2</sub> X 42" - RED OAK

3/4 X 7<sup>1</sup>/<sub>2</sub> X 48" - RED OAK & WHITE OAK

#### CRAFTSMAN PLAIN TREADS

1 X 11<sup>1</sup>/<sub>2</sub> X 48" - WHITE OAK

1 X 11<sup>1</sup>/<sub>2</sub> X 60" - WHITE OAK

#### CRAFTSMAN REVERSIBLE TREADS

1 X 11<sup>1</sup>/<sub>2</sub> X 48" - WHITE OAK

1 X 11<sup>1</sup>/<sub>2</sub> X 60" - WHITE OAK

## Stock Moulding


DOOR PARTS STOCKED IN WIDE VARIETY OF PAINT AND STAIN GRADES

### JAMB - EXTERIOR

#### RABBET $2\frac{3}{16}$

TOP DADO ONLY  
KERFED


$1\frac{1}{4} \times 4\frac{9}{16} \times 6'8''$   
 $1\frac{1}{4} \times 4\frac{9}{16} \times 8'0''$   
 $1\frac{1}{4} \times 6\frac{9}{16} \times 6'8''$   
 $1\frac{1}{4} \times 6\frac{9}{16} \times 8'0''$   
 $1\frac{1}{4} \times 8\frac{5}{8} \times 8'0''$   
 $1\frac{1}{4} \times 4\frac{9}{16} \times 16'$   
 $1\frac{1}{4} \times 6\frac{9}{16} \times 16'$




#### DOUBLE RABBET

$1\frac{7}{16} - 1\frac{13}{16}$   
TOP DADO ONLY

$1\frac{1}{4} \times 4\frac{9}{16} \times 6'8''$  - PR, R, S  
 $1\frac{1}{4} \times 4\frac{9}{16} \times 8'0''$  - PR, R, S  
 $1\frac{1}{4} \times 4\frac{7}{8} \times 8'0''$  - R  
 $1\frac{1}{4} \times 5\frac{1}{4} \times 8'0''$  - R  
 $1\frac{1}{4} \times 6\frac{9}{16} \times 6'8''$  - PR, S  
 $1\frac{1}{4} \times 6\frac{9}{16} \times 8'0''$  - PR, R & S  
 $1\frac{1}{4} \times 6\frac{7}{8} \times 8'0''$  - R



PR- PRIMED FINGERJOINT  
R- RAW FINGERJOINT  
S- SOLID



#### PRIMED FJ MULL POST

$2 \times 4\frac{9}{16} \times 80\frac{1}{2}$

Stock Moulding


DOOR PARTS STOCKED IN WIDE VARIETY OF PAINT AND STAIN GRADES

PLASTPRO KERFED POLY-FIBER - STOCK

| Width                                            | Length    | Pair/Unit | Description |
|--------------------------------------------------|-----------|-----------|-------------|
| 4 <sup>9</sup> / <sub>16</sub> "                 | 6'8"      | 80        | Primed      |
| 6 <sup>9</sup> / <sub>16</sub> "                 | 6'8"      | 48        | Primed      |
| 4 <sup>9</sup> / <sub>16</sub> "                 | 6'8" & 8' | 80        | White Cap   |
| 6 <sup>9</sup> / <sub>16</sub> "                 | 6'8" & 8' | 48        | White Cap   |
| 4 <sup>9</sup> / <sub>16</sub> "                 | 6'8"      | 80        | Woodgrain   |
| 4 <sup>9</sup> / <sub>16</sub> "                 | 17'       | 96        | Primed      |
| 6 <sup>9</sup> / <sub>16</sub> "                 | 17'       | 48        | Primed      |
| 4 <sup>9</sup> / <sub>16</sub> "                 | 17'       | 96        | White Cap   |
| 6 <sup>9</sup> / <sub>16</sub> "                 | 17'       | 48        | White Cap   |
| 4 <sup>9</sup> / <sub>16</sub> "                 | 17'       | 96        | Woodgrain   |
| 6 <sup>9</sup> / <sub>16</sub> "                 | 17'       | 48        | Woodgrain   |
| 180 Brickmould                                   | 17'       | 200       | White Cap   |
| 180 Brickmould                                   | 17'       | 200       | Woodgrain   |
| 1 x 2 Embossed Mull Cover                        | 8'6"      | 200       | Woodgrain   |
| 1 x 1 <sup>1</sup> / <sub>2</sub> PVC Mull Cover | 8'6"      | 520       | PVC         |
| 1 x 4 <sup>3</sup> / <sub>8</sub> x 2 Mull Post  | 102" O.A. | 90        | White Cap   |
| 1 x 4 <sup>3</sup> / <sub>8</sub> x 2 Mull Post  | 102" O.A. | 90        | Woodgrain   |

JAMB - INTERIOR

ONE-PIECE FLAT JAMB



- <sup>11</sup>/<sub>16</sub> X 4<sup>5</sup>/<sub>8</sub> X 6'8" - PINE, FJ & FJ PRIMED
- <sup>11</sup>/<sub>16</sub> X 4<sup>5</sup>/<sub>8</sub> X 8'0" - PINE, FJ & FJ PRIMED
- <sup>11</sup>/<sub>16</sub> X 4<sup>7</sup>/<sub>8</sub> X 6'8" - PINE, FJ & FJ PRIMED
- <sup>11</sup>/<sub>16</sub> X 6<sup>5</sup>/<sub>8</sub> X 6'8" - PINE, FJ & FJ PRIMED
- <sup>11</sup>/<sub>16</sub> X 6<sup>5</sup>/<sub>8</sub> X 8'0" - PINE, FJ & FJ PRIMED





## Stock Moulding

DOOR PARTS STOCKED IN WIDE VARIETY OF PAINT AND STAIN GRADES

### JAMB - INTERIOR

#### TWO-PIECE SPLIT JAMB


$1\frac{1}{16} \times 5 \times 6'8"$   
 $1\frac{1}{16} \times 5 \times 8'0"$   
 $1\frac{1}{16} \times 5\frac{1}{4} \times 6'8"$   
 $1\frac{1}{16} \times 6\frac{1}{2} \times 6'8"$   
 $1\frac{1}{16} \times 6\frac{1}{2} \times 8'0"$



**INSERTS IN STOCK**  
 $1\frac{1}{16} \times 4\frac{1}{2} \times 81\frac{1}{16}$

#### KERFED INTERIOR JAMB

$1\frac{1}{4} \times 4\frac{9}{16} \times 6'8"$   
 $1\frac{3}{8} \times 4\frac{9}{16} \times 6'8"$   
 $1\frac{1}{4} \times 4\frac{9}{16} \times 8'0"$   
 $1\frac{1}{4} \times 6\frac{9}{16} \times 6'8"$



### LATTICE



**SM 266**  
 $\frac{1}{4} \times 1\frac{1}{2}$  - PINE, PVC

### MULLION



**SM 987**

$\frac{3}{8} \times 2$  - PINE

**SM 987B**

$\frac{3}{8} \times 1\frac{1}{2}$  - PINE

**SM 989**

$\frac{3}{8} \times 1\frac{1}{4}$  - PINE



**SM 982B**

$\frac{3}{8} \times 1\frac{1}{2}$  - RED OAK

## Stock Moulding

SPECIAL SIZE ROSETTES AND PLINTH BLOCKS AVAILABLE  
THROUGH SPECIAL ORDER. CALL 336.249.8171

### PANEL MOULD



**SM 183**

$\frac{9}{16}$  X  $1\frac{1}{8}$  - PINE



**SM 182**

$1\frac{1}{16}$  X  $1\frac{5}{8}$  - PINE

### PICTURE MOULD



**SM 273**

$1\frac{1}{16}$  X  $1\frac{3}{4}$  - PINE

### PANELING (NICKEL GAP)




**SM 932-5**

$1\frac{1}{16}$  X  $5\frac{1}{4}$  - MDF

**SM 932-7**

$1\frac{1}{16}$  X  $7\frac{1}{4}$  - MDF




**1x6 SHIPLAP**

$2\frac{1}{32}$  X  $5\frac{1}{2}$  - PRIMED

**1x8 SHIPLAP**


$2\frac{1}{32}$  X  $7\frac{1}{4}$  - PRIMED

### ROUNDS




**SM 103 QUARTER ROUND**

$1\frac{1}{16}$  X  $1\frac{1}{16}$  - PINE




**SM 233 CLOSET ROD**

$1\frac{1}{4}$  - PINE



**SM 240 HANDRAIL**

$1\frac{1}{4}$  X  $2\frac{1}{4}$  - PINE




**SM 106 QUARTER ROUND**

$1\frac{1}{16}$  X  $1\frac{1}{16}$

PINE, PRIMED, RED OAK

**SM 108 QUARTER ROUND**

$1\frac{1}{2}$  X  $1\frac{1}{2}$  - PINE



**SM 122 HALF ROUND**

$\frac{3}{8}$  X  $1\frac{1}{16}$  - PINE

## Stock Moulding

### SCREEN MOULD



**SM 142**

$\frac{1}{4}$  X  $\frac{3}{4}$  - PINE



**SM 144**


$\frac{1}{4}$  X  $\frac{3}{4}$  - PINE

### SHINGLE MOULD



**SM 212**

$\frac{11}{16}$  X  $2\frac{1}{2}$  - PRIMED



**SM 210**

$\frac{5}{8}$  X  $1\frac{5}{8}$  - PINE, PVC

### SHOE MOULD



**SM 126**

$\frac{1}{2}$  X  $\frac{3}{4}$  - PINE, PRIMED, RED OAK, WHITE OAK  
 $\frac{7}{16}$  X  $\frac{3}{4}$  - BANAK



**SM 129**

$\frac{7}{16}$  X  $1\frac{1}{16}$  - PINE, PRIMED

### SILL - WINDOW



$1\frac{1}{4}$  X  $6\frac{1}{4}$  - YELLOW PINE

## Stock Moulding

### S4S SQUARE BOARD

#### S4S - MDF

$1\frac{1}{16}$  X  $3\frac{1}{2}$  X 16'

$1\frac{1}{16}$  X  $4\frac{1}{2}$  X 16'

$1\frac{1}{16}$  X  $5\frac{1}{2}$  X 16'

$1\frac{1}{16}$  X  $7\frac{1}{2}$  X 16'

$1\frac{1}{16}$  X  $9\frac{1}{4}$  X 16'

$1\frac{1}{16}$  X  $11\frac{1}{4}$  X 16'

$\frac{5}{4}$  X  $5\frac{1}{2}$  X 16' - PRIMED MDF ONLY

$\frac{3}{4}$  X  $15\frac{1}{4}$  X 16' - RAW MDF ONLY

$\frac{3}{4}$  X 4' X 8' - SHEET, RAW MDF ONLY

$\frac{3}{4}$  X 5' X 12' - RAW MDF ONLY



#### SM 247

$\frac{3}{4}$  X 2 - BASSWOOD, RED OAK

#### SM 249

$1\frac{1}{16}$  X  $1\frac{3}{4}$  - PINE

#### SM 254

$\frac{1}{2}$  X  $\frac{3}{4}$  - POPLAR, PINE

#### SM 266

$\frac{1}{4}$  X  $1\frac{1}{2}$  - PINE, PVC

ALL PROFILES AVAILABLE IN FLEXIBLE MOULDING

### RABBETED STOOL

#### SM 1163

$1\frac{1}{16}$  X  $3\frac{1}{4}$  - PINE

$\frac{15}{16}$  RABBET

#### SM 1164

$1\frac{1}{16}$  X  $2\frac{3}{4}$  - PINE

$\frac{15}{16}$  RABBET



#### SM 1195

$1\frac{1}{16}$  X  $2\frac{1}{2}$  - PINE, PRIMED, RED OAK

$\frac{7}{8}$  RABBET



## Stock Moulding

### STOP

ALL DOOR STOPS AVAILABLE IN LINEAL FOOTAGE.

SM 888 ALSO AVAILABLE IN 7' AND 8'2".



**SM 888**

$\frac{3}{8}$  X  $1\frac{1}{8}$  - PINE, PRIMED



**SM 877**

$\frac{7}{16}$  X  $1\frac{1}{4}$  - RED OAK

**SM 876**

$\frac{7}{16}$  X  $1\frac{1}{8}$  - PRIMED



**SM 935**

$\frac{7}{16}$  X  $1\frac{5}{8}$  - PINE

**SM 936**

$\frac{7}{16}$  X  $1\frac{3}{8}$  - PINE

**SM 937**

$\frac{7}{16}$  X  $1\frac{1}{4}$  - PINE, RED OAK



**SM 940**

$\frac{7}{16}$  X  $\frac{7}{8}$  - PINE

**SM 941**

$\frac{7}{16}$  X  $\frac{3}{4}$  - PINE, RED OAK

**SM 941-A**

$\frac{7}{16}$  X  $\frac{5}{8}$  - PINE

### FLAT STOOL




**SM 1021**

$1\frac{1}{16}$  X  $5\frac{1}{4}$  - PINE, PRIMED

$1\frac{1}{16}$  X  $7\frac{1}{4}$  - PRIMED

$\frac{5}{8}$  X  $5\frac{1}{4}$  - MDF







# COLUMNS



## Columns

Smith Millwork stocks lightweight fiberglass round or square columns in five widths ranging from 6" to 16" wide diameter. They are ideal for interior or exterior use and as railing attachments. Columns are easily cut to accommodate varied lengths or inside/outside corner installations. Ask about the following options:

- Optional non-structural, wrap-around designs
- Matching pilasters or half-columns for entrances
- Shaft options including smooth, fluted, or split for wrap-around applications and pilasters
- Decorative capitals and adjustable astragals

### AFCO ROUND TAPERED FIBERGLASS COLUMNS STOCKED BY SMITH MILLWORK



| ITEM        | SIZE      | DESCRIPTION                                  |
|-------------|-----------|----------------------------------------------|
| 6 x 8 RFC   | 6" x 8'   | Pro-Cast Round Smooth Tapered FG Column      |
| 6 RCB       | 6"        | Poly Roman Tuscan Round Cap & Base Set       |
| 8 x 8 RFC   | 8" x 8'   | Pro-Cast Round Smooth Tapered FG Column      |
| 8 x 9 RFC   | 8" x 9'   | Pro-Cast Round Smooth Tapered FG Column      |
| 8 x 10 RFC  | 8" x 10'  | Pro-Cast Round Smooth Tapered FG Column      |
| 8 RCB       | 8"        | Poly Roman Tuscan Round Cap & Base Set       |
| 8 TCCB      | 8"        | Poly Tuscan Round Cap & Low Profile Base Set |
| 10 x 8 RFC  | 10" x 8'  | Pro-Cast Round Smooth Tapered FG Column      |
| 10 x 9 RFC  | 10" x 9'  | Pro-Cast Round Smooth Tapered FG Column      |
| 10 x 10 RFC | 10" x 10' | Pro-Cast Round Smooth Tapered FG Column      |
| 10 RCB      | 10"       | Poly Roman Tuscan Round Cap & Base Set       |
| 10 TCCB     | 10"       | Poly Tuscan Round Cap & Low Profile Base Set |
| 12 x 8 RFC  | 12" x 8'  | Pro-Cast Round Smooth Tapered FG Column      |
| 12 x 9 RFC  | 12" x 9'  | Pro-Cast Round Smooth Tapered FG Column      |
| 12 x 10 RFC | 12" x 10' | Pro-Cast Round Smooth Tapered FG Column      |
| 12 RCB      | 12"       | Poly Roman Tuscan Round Cap & Base Set       |
| 12 TCCB     | 12"       | Poly Tuscan Round Cap & Low Profile Base Set |
| 14 x 10 RFC | 14" x 10' | Pro-Cast Round Smooth Tapered FG Column      |
| 14 RCB      | 14"       | Poly Roman Tuscan Round Cap & Base Set       |
| 16 x 8 RFC  | 16" x 8'  | Pro-Cast Round Smooth Tapered FG Column      |
| 16 x 10 RFC | 16" x 10' | Pro-Cast Round Smooth Tapered FG Column      |
| 16 RCB      | 16"       | Poly Roman Tuscan Round Cap & Base Set       |

| ITEM         | SIZE      | DESCRIPTION                                   |
|--------------|-----------|-----------------------------------------------|
| 8 x 8 RFSC   | 8" x 8'   | Split Pro-Cast Round Smooth Tapered FG Column |
| 10 x 8 RFSC  | 10" x 8'  | Split Pro-Cast Round Smooth Tapered FG Column |
| 12 x 8 RFSC  | 12" x 8'  | Split Pro-Cast Round Smooth Tapered FG Column |
| 8 x 10 RFSC  | 8" x 10'  | Split Pro-Cast Round Smooth Tapered FG Column |
| 10 x 10 RFSC | 10" x 10' | Split Pro-Cast Round Smooth Tapered FG Column |
| 12 x 10 RFSC | 12" x 10' | Split Pro-Cast Round Smooth Tapered FG Column |

## Columns

### AFCO ROUND TAPERED FIBERGLASS COLUMNS - AVAILABLE TO ORDER

| SIZE     | WT.<br>(LBS.) | DIMENSIONS                       |                                   |                                 | TAPER FROM<br>BOTTOM | CENTERED<br>LOAD LIMIT | SKID<br>QTY'S |
|----------|---------------|----------------------------------|-----------------------------------|---------------------------------|----------------------|------------------------|---------------|
|          |               | OUTSIDE<br>SHAFT                 | OUTSIDE<br>BASE                   | NECK<br>HEIGHT                  |                      |                        |               |
| 6"x 8'   | 40            | 4"                               | 5 <sup>11</sup> / <sub>16</sub> " | 5"                              | 33"                  | 8,000                  | 30            |
| 8"x 5'   | 38            | 6 <sup>1</sup> / <sub>4</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "   | 5 <sup>1</sup> / <sub>4</sub> " | 5"                   | 10,000                 | 16            |
| 8"x 6'   | 40            | 6 <sup>1</sup> / <sub>4</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "   | 5 <sup>1</sup> / <sub>4</sub> " | 6"                   | 10,000                 | 16            |
| 8"x 8'   | 51            | 6 <sup>1</sup> / <sub>4</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "   | 5 <sup>1</sup> / <sub>4</sub> " | 33"                  | 10,000                 | 16            |
| 8"x 9'   | 66            | 6 <sup>1</sup> / <sub>4</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "   | 5 <sup>1</sup> / <sub>4</sub> " | 28"                  | 10,000                 | 16            |
| 8"x 10'  | 71            | 6 <sup>1</sup> / <sub>4</sub> "  | 7 <sup>5</sup> / <sub>8</sub> "   | 5 <sup>1</sup> / <sub>4</sub> " | 42"                  | 10,000                 | 16            |
| 10"x 5'  | 55            | 7 <sup>1</sup> / <sub>2</sub> "  | 9 <sup>5</sup> / <sub>8</sub> "   | 6 <sup>1</sup> / <sub>2</sub> " | 5"                   | 14,000                 | 12            |
| 10"x 8'  | 72            | 7 <sup>1</sup> / <sub>2</sub> "  | 9 <sup>5</sup> / <sub>8</sub> "   | 6 <sup>1</sup> / <sub>2</sub> " | 33"                  | 14,000                 | 12            |
| 10"x 9'  | 85            | 7 <sup>1</sup> / <sub>2</sub> "  | 9 <sup>5</sup> / <sub>8</sub> "   | 6 <sup>1</sup> / <sub>2</sub> " | 28"                  | 14,000                 | 12            |
| 10"x 10' | 100           | 7 <sup>1</sup> / <sub>2</sub> "  | 9 <sup>5</sup> / <sub>8</sub> "   | 6 <sup>1</sup> / <sub>2</sub> " | 42"                  | 14,000                 | 12            |
| 10"x 12' | 126           | 7 <sup>1</sup> / <sub>2</sub> "  | 9 <sup>5</sup> / <sub>8</sub> "   | 6 <sup>1</sup> / <sub>2</sub> " | 50"                  | 14,000                 | 12            |
| 12"x 8'  | 109           | 9 <sup>1</sup> / <sub>4</sub> "  | 11 <sup>5</sup> / <sub>8</sub> "  | 8"                              | 33"                  | 18,000                 | 9             |
| 12"x 9'  | 126           | 9 <sup>1</sup> / <sub>4</sub> "  | 11 <sup>5</sup> / <sub>8</sub> "  | 8"                              | 28"                  | 18,000                 | 9             |
| 12"x 10' | 132           | 9 <sup>1</sup> / <sub>4</sub> "  | 11 <sup>5</sup> / <sub>8</sub> "  | 8"                              | 42"                  | 18,000                 | 9             |
| 12"x 12' | 154           | 9 <sup>1</sup> / <sub>4</sub> "  | 11 <sup>5</sup> / <sub>8</sub> "  | 8"                              | 50"                  | 18,000                 | 9             |
| 14"x 8'  | 153           | 11 <sup>1</sup> / <sub>2</sub> " | 13 <sup>5</sup> / <sub>8</sub> "  | 8 <sup>1</sup> / <sub>4</sub> " | N/A                  | 20,000                 | 4             |
| 14"x 10' | 160           | 11 <sup>1</sup> / <sub>2</sub> " | 13 <sup>5</sup> / <sub>8</sub> "  | 8 <sup>1</sup> / <sub>4</sub> " | N/A                  | 20,000                 | 4             |
| 14"x 12' | 184           | 11 <sup>1</sup> / <sub>2</sub> " | 13 <sup>5</sup> / <sub>8</sub> "  | 8 <sup>1</sup> / <sub>4</sub> " | 15"                  | 20,000                 | 4             |
| 16"x 10' | 189           | 13 <sup>7</sup> / <sub>8</sub> " | 15 <sup>1</sup> / <sub>2</sub> "  | 8 <sup>3</sup> / <sub>4</sub> " | N/A                  | 20,000                 | 4             |
| 16"x 12' | 221           | 11 <sup>1</sup> / <sub>2</sub> " | 13 <sup>5</sup> / <sub>8</sub> "  | 8 <sup>1</sup> / <sub>4</sub> " | 48"                  | 20,000                 | 4             |



## Columns

### AFCO PRO-LITE SQUARE FIBERGLASS COLUMNS STOCKED BY SMITH MILLWORK



| ITEM         | SIZE      | DESCRIPTION                                |
|--------------|-----------|--------------------------------------------|
| 6 x 8 SQFC   | 6" x 8'   | Pro-Lite Square Smooth No Taper FG Column  |
| 6 SQCB       | 6"        | Poly Square Tuscan Cap/Astragal & Base Set |
| 8 x 8 SQFC   | 8" x 8'   | Pro-Lite Square Smooth No Taper FG Column  |
| 8 x 9 SQFC   | 8" x 9'   | Pro-Lite Square Smooth No Taper FG Column  |
| 8 x 10 SQFC  | 8" x 10'  | Pro-Lite Square Smooth No Taper FG Column  |
| 8 SQCB       | 8"        | Poly Square Tuscan Cap/Astragal & Base Set |
| 10 x 8 SQFC  | 10" x 8'  | Pro-Lite Square Smooth No Taper FG Column  |
| 10 x 9 SQFC  | 10" x 9'  | Pro-Lite Square Smooth No Taper FG Column  |
| 10 x 10 SQFC | 10" x 10' | Pro-Lite Square Smooth No Taper FG Column  |
| 10 SQCB      | 10"       | Poly Square Tuscan Cap/Astragal & Base Set |
| 12 x 10 SQFC | 12" x 10' | Pro-Lite Square Smooth No Taper FG Column  |
| 12 SQCB      | 12"       | Poly Square Tuscan Cap/Astragal & Base Set |





## Columns

### AFCO PRO-LITE SQUARE FIBERGLASS COLUMNS - AVAILABLE TO ORDER

| SIZE     | WT.<br>(LBS.) | DIMENSIONS       |                 |                 | CENTERED<br>LOAD LIMIT | SKID<br>QTY'S |
|----------|---------------|------------------|-----------------|-----------------|------------------------|---------------|
|          |               | OUTSIDE<br>SHAFT | OUTSIDE<br>BASE | ABACUS<br>WIDTH |                        |               |
| 6"x 8'   | 27            | 5½"              | 8⅞"             | 8⅜"             | 8,500                  | 49            |
| 6"x 9'   | 30            | 5½"              | 8⅞"             | 8⅜"             | 8,500                  | 49            |
| 6"x 10'  | 33            | 5½"              | 8⅞"             | 8⅜"             | 8,500                  | 49            |
| 8"x 8'   | 29            | 7½"              | 10½"            | 10⅜"            | 8,500                  | 30            |
| 8"x 9'   | 32            | 7½"              | 10½"            | 10⅜"            | 8,500                  | 30            |
| 8"x 10'  | 36            | 7½"              | 10½"            | 10⅜"            | 8,500                  | 30            |
| 10"x 8'  | 36            | 9½"              | 12¾"            | 12⅞"            | 8,500                  | 20            |
| 10"x 9'  | 41            | 9½"              | 12¾"            | 12⅞"            | 8,500                  | 20            |
| 10"x 10' | 45            | 9½"              | 12¾"            | 12⅞"            | 8,500                  | 20            |
| 10"x 12' | 54            | 9½"              | 12¾"            | 12⅞"            | 8,500                  | 20            |
| 12"x 8'  | 43            | 11½"             | 15"             | 15⅞"            | 8,500                  | 15            |
| 12"x 9'  | 48            | 11½"             | 15"             | 15⅞"            | 8,500                  | 15            |
| 12"x 10' | 53            | 11½"             | 15"             | 15⅞"            | 8,500                  | 15            |
| 12"x 12' | 64            | 11½"             | 15"             | 15⅞"            | 8,500                  | 15            |
| 16"x 8'  | 60            | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 9'  | 67            | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 10' | 74            | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 12' | 90            | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 14' | 104           | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 16' | 118           | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 18' | 133           | 15½"             | 21½"            | 23"             | 12,500                 | 9             |
| 16"x 20' | 148           | 15½"             | 21½"            | 23"             | 12,500                 | 9             |

### AFCO CPVC BUNGALOW COLUMN WRAPS WITH TRIM


| WT(LBS.) | BASE | NECK | HEIGHT  |
|----------|------|------|---------|
| 54       | 16"  | 9"   | 6'      |
| 37       | 12"  | 7"   | 5'-1/2' |
| 41       | 12"  | 7"   | 6'      |

BUNGALOW HAS THE LOOK AND FEEL OF AN EARLY AMERICAN CRAFTSMAN STYLE COLUMN. THESE COLUMNS ARE TYPICALLY INSTALLED ON A PEDESTAL AND COMPLEMENT ANY EXTERIOR OR INTERIOR RESTORATION PROJECT. MADE WITH CELLULAR PVC, THE DENSITY IS SIMILAR TO WHITE PINE AND NEVER NEEDS PAINTING BUT CAN BE PAINTED.




## Columns

### AFCO ALUMINUM COLUMNS STOCKED BY SMITH MILLWORK




**WELLINGTON** STOCK COLOR: WHITE TEX

| SIZE     | WT. | DIMENSIONS |           |    |        |          | MAX. LOAD |
|----------|-----|------------|-----------|----|--------|----------|-----------|
|          |     | A          | B         | C  | D      | E        |           |
| 6" X 8'  | 25  | 5-1/2"     | 8-1/2"    | 2" | 3-1/2" | 9-5/8"   | 12,000LBS |
| 6" X 9'  | 28  | 5-1/2"     | 8-1/2"    | 2" | 3-1/2" | 9-5/8"   | 12,000LBS |
| 6" X 10' | 30  | 5-1/2"     | 8-1/2"    | 2" | 3-1/2" | 9-5/8"   | 12,000LBS |
| 8" X 8'  | 27  | 7-1/4"     | 9-7/8"    | 3" | 3-1/2" | 12-3/4"  | 20,000LBS |
| 8" X 9'  | 30  | 7-1/4"     | 9-7/8"    | 3" | 3-1/2" | 12-3/4"  | 20,000LBS |
| 8" X 10' | 33  | 7-1/4"     | 9-7/8"    | 3" | 3-1/2" | 12-3/4"  | 20,000LBS |
| 9" X 10' | 33  | 9"         | 11 11/16" | 3" | 3-1/2" | 14 7/16" | 15,000LBS |




**SQUARE FLUTED** STOCK COLOR: GLOSS WHITE

| SIZE     | WT. (LBS) | DIMENSIONS |         |    | MAX. LOAD |
|----------|-----------|------------|---------|----|-----------|
|          |           | A          | B       | C  |           |
| 6" X 8'  | 24        | 5 1/2"     | 8 1/2"  | 2" | 23,000LBS |
| 6" X 9'  | 27        | 5 1/2"     | 8 1/2"  | 2" | 23,000LBS |
| 6" X 10' | 30        | 5 1/2"     | 8 1/2"  | 2" | 23,000LBS |
| 8" X 8'  | 26        | 7 1/2"     | 10 1/2" | 2" | 24,000LBS |
| 8" X 9'  | 29        | 7 1/2"     | 10 1/2" | 2" | 24,000LBS |
| 8" X 10' | 30        | 7 1/2"     | 10 1/2" | 2" | 24,000LBS |



**EMPIRE** STOCK COLOR: WHITE TEX & BLACK TEX (6" & 8" ONLY)

| SIZE     | WT. (LBS) | DIMENSIONS |           |        | MAX. LOAD |
|----------|-----------|------------|-----------|--------|-----------|
|          |           | A          | B         | C      |           |
| 6" X 8'  | 24        | 5-1/2"     | 8-1/2"    | 3-1/2" | 12,000LBS |
| 6" X 9'  | 27        | 5-1/2"     | 8-1/2"    | 3-1/2" | 12,000LBS |
| 6" X 10' | 30        | 5-1/2"     | 8-1/2"    | 3-1/2" | 12,000LBS |
| 8" X 8'  | 26        | 7-1/4"     | 9-7/8"    | 3-1/2" | 20,000LBS |
| 8" X 9'  | 29        | 7-1/4"     | 9-7/8"    | 3-1/2" | 20,000LBS |
| 8" X 10' | 2         | 7-1/4"     | 9-7/8"    | 3-1/2" | 20,000LBS |
| 9" X 10' | 33        | 9"         | 11 11/16" | 3-1/2" | 15,000LBS |



**ROUND FLUTED** STOCK COLOR: GLOSS WHITE

| SIZE     | WT. (LBS) | DIMENSIONS |         |         | MAX. LOAD |
|----------|-----------|------------|---------|---------|-----------|
|          |           | A          | B       | C       |           |
| 6" X 8'  | 19        | 6"         | 7-9/16" | 1-3/4"  | 20,000LBS |
| 6" X 9'  | 21        | 6"         | 7-9/16" | 1-3/4"  | 20,000LBS |
| 6" X 10' | 23        | 6"         | 9-7/16" | 1-3/4"  | 20,000LBS |
| 8" X 8'  | 24        | 7-5/8"     | 9-7/16" | 2-3/16" | 21,000LBS |
| 8" X 9'  | 27        | 7-5/8"     | 9-7/16" | 2-3/16" | 21,000LBS |
| 8" X 10' | 30        | 7-5/8"     | 9-7/16" | 2-3/16" | 21,000LBS |

## Columns

### AFCO ALUMINUM COLUMNS - AVAILABLE TO ORDER

#### ROUND FLUTED

| Nominal Size | Std. Lengths                    | Dimensions |         |         | Max. Loading |
|--------------|---------------------------------|------------|---------|---------|--------------|
|              |                                 | A          | B       | C       |              |
| 8"           | 12', 16', 18', 20'              | 7-5/8"     | 9-7/16" | 2-3/16" | 21,000LBS    |
| 10"          | 8', 9', 10', 12', 16', 18', 20' | 9-3/8"     | 11-1/4" | 2-3/8"  | 26,000LBS    |
| 12"          | 8', 9', 10', 12', 16', 18', 20' | 11-1/2"    | 15-1/8" | 2-3/4"  | 30,000LBS    |
| 15"          | 12', 16', 18', 20', 24'         | 14-1/2"    | 18-3/4" | 4-3/4"  | 33,000LBS    |
| 18"          | 16', 18', 20', 24'              | 17-3/4"    | 22-1/2" | 5"      | 38,000LBS    |
| 24"          | 18', 20', 24'                   | 7-5/8"     | 9-7/16" | 2-3/16" | 43,000LBS    |

#### SQUARE FLUTED

| Nominal Size | Std. Lengths                    | Dimensions |         |          | Max. Loading |
|--------------|---------------------------------|------------|---------|----------|--------------|
|              |                                 | A          | B       | C        |              |
| 3"           | 8' 9'                           | 3"         | N/A     | N/A      | 8,000LBS     |
| 4"           | 8', 9', 10'                     | 3-1/2"     | 5-5/8"  | 1-1/7"   | 12,000LBS    |
| 8"           | 12'                             | 7-1/2"     | 10-1/2" | 2"       | 24,000LBS    |
| 10"          | 8', 9', 10', 12', 16', 18', 20' | 10"        | 12-7/8" | 2-11/16" | 33,000LBS    |
| 12"          | 8', 9', 10', 12', 16', 18', 20' | 11-15/16"  | 15-1/8" | 3-3/16"  | 38,000LBS    |

#### EMPIRE

| Nominal Size | Std. Lengths     | Dimensions |           |        | Max. Load |
|--------------|------------------|------------|-----------|--------|-----------|
|              |                  | A          | B         | C      |           |
| 8"           | 12'              | 7-1/4"     | 9-7/8"    | 3-1/2" | 20,000LBS |
| 9"           | 8', 9', 10', 12' | 9"         | 11-11/16" | 3-1/2" | 15,000LBS |

#### WELLINGTON

| Nominal Size | Std. Lengths     | Dimensions |           |    |        |          | Max. Load |
|--------------|------------------|------------|-----------|----|--------|----------|-----------|
|              |                  | A          | B         | C  | D      | E        |           |
| 8"           | 12'              | 7-1/4"     | 9-7/8"    | 3" | 3-1/2" | 12-3/4"  | 20,000LBS |
| 9"           | 8', 9', 10', 12' | 9"         | 11-11/16" | 3" | 3-1/2" | 14-7/16" | 15,000LBS |

#### AVAILABLE COLORS

|             |            |
|-------------|------------|
| GLOSS WHITE | BROWN TEX  |
| WICKER      | BLACK TEX  |
| CLAY        | BRONZE TEX |
| WHITE TEX   |            |







# INTERIOR DOORS

---



## Interior Doors

OTHER STYLES, SPECIAL SIZES, FIRE-RATED DOORS ARE ALSO  
AVAILABLE—CALL FOR LEAD TIMES.

### INTERIOR DOORS - 1 $\frac{3}{8}$ "

| INTERIOR DOORS 1 1/2"                                                               |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  | 13/4" STOCK                             |        |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|--|-----------------------------------------|--------|
|                                                                                     | 6/8 HT                                                               |                               |                                                                                     | 6/8 HT                                                              |                                     |                                                                                      | 6/8 HT                                                                                                     |  | 6/8 HT                                  | 7/0 HT |
|    | 1/6<br>1/8<br><br>2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0            | FLUSH LAUAN H/C               |    | 1/4<br>1/6<br>1/8<br><br>2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0    | FLUSH BIRCH H/C                     |   | 1/6<br>1/8<br><br>2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0                                                  |  | 2/0<br><br>2/6<br>2/8<br><br>3/0        | 3/0    |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|  | 1/6<br>1/8<br><br>2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0            | 108 6-PANEL<br>RADIATA - PINE |  | 1/6<br><br>2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0                  | FULL LOUVER<br>RADIATA - PINE       |  | 1/6<br><br>2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0                                                         |  | 2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0 |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|  | 2/0 - 12 LIGHT<br>2/6 - 18 LIGHT<br>2/8 - 18 LIGHT<br>3/0 - 18 LIGHT | 12/18 LIGHT<br>RADIATA - PINE |  | 1/6 - 5 LIGHT<br>1/8 - 5 LIGHT<br>2/0 - 10 LIGHT<br>(PINE & PRIMED) | 1510 FRENCH DOORS<br>RADIATA - PINE |  | 2/4 - 15 LIGHT<br>2/6 - 15 LIGHT<br>(PINE & PRIMED)<br>2/8 - 15 LIGHT<br>3/0 - 15 LIGHT<br>(PINE & PRIMED) |  | 2/0<br><br>2/4<br>2/6<br>2/8<br><br>3/0 |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |
|                                                                                     |                                                                      |                               |                                                                                     |                                                                     |                                     |                                                                                      |                                                                                                            |  |                                         |        |

## Interior Doors

OTHER STYLES, SPECIAL SIZES, FIRE-RATED DOORS ARE ALSO  
AVAILABLE—CALL FOR LEAD TIMES.

### INTERIOR MOULDED DOORS - 1<sup>3</sup>/<sub>8</sub>"

|  | 6/8 HT |               |
|--|--------|---------------|
|  | H/C    | S/C           |
|  | 1/0    |               |
|  | 1/3    |               |
|  | 1/4    |               |
|  | 1/6    | 1/6           |
|  | 1/8    | 1/8           |
|  | 2/0    | 2/0           |
|  | 2/4    | 2/4           |
|  | 2/6    | 2/6           |
|  | 2/8    | 2/8           |
|  | 2/10   | textured only |
|  | 3/0    | 3/0           |

6 PANEL\*  
TEXTURED & SMOOTH

|  | 6/8 HT |     | 8/0 HT          |
|--|--------|-----|-----------------|
|  | H/C    | S/C | Solid core Only |
|  | 1/3    |     |                 |
|  | 1/4    |     | 1/6             |
|  | 1/6    | 1/6 |                 |
|  | 1/8    |     |                 |
|  | 2/0    | 2/0 | 2/0             |
|  | 2/4    | 2/4 |                 |
|  | 2/6    | 2/6 | 2/4             |
|  | 2/8    | 2/8 | 2/6             |
|  |        |     | 2/8             |
|  | 2/10   |     |                 |
|  | 3/0    | 3/0 | 3/0             |

2 PANEL ROMAN\*  
SMOOTH

|  | 6/8 HT |     | 8/0 HT                      |
|--|--------|-----|-----------------------------|
|  | H/C    | S/C | Solid Core Only<br>6 panels |
|  | 1/3    |     |                             |
|  | 1/4    |     |                             |
|  | 1/6    | 1/6 | 1/6                         |
|  | 1/8    | 1/8 |                             |
|  | 1/10   |     |                             |
|  | 2/0    | 2/0 | 2/0                         |
|  | 2/4    | 2/4 | 2/4                         |
|  | 2/6    | 2/6 | 2/6                         |
|  | 2/8    | 2/8 | 2/8                         |
|  | 3/0    | 3/0 | 3/0                         |

5 PANEL RIVERSIDE  
SMOOTH

\* Cheyenne and Roman  
8/0 height available  
in SOLID CORE in:  
1/6, 2/0, 2/4, 2/6, 2/8,  
3/0 OUT OF WARE-  
HOUSE.

\*\* 2 PANEL ARCH TOP  
in both SMOOTH and  
TEXTURED, and 3  
PANEL TEXTURED  
available in SOLID  
CORE by SPECIAL  
ORDER.

|  | 6/8 HT |     | 8/0 HT          |
|--|--------|-----|-----------------|
|  | H/C    | S/C | Solid core Only |
|  | 1/3    |     |                 |
|  | 1/4    | 1/4 |                 |
|  | 1/6    | 1/6 | 1/6             |
|  | 1/8    |     |                 |
|  | 2/0    | 2/0 | 2/0             |
|  | 2/4    | 2/4 | 2/4             |
|  | 2/6    | 2/6 | 2/6             |
|  | 2/8    | 2/8 | 2/8             |
|  | 2/10   |     |                 |
|  | 3/0    | 3/0 | 3/0             |

2 PANEL\*  
SMOOTH

|  | 6/8 HT |  |
|--|--------|--|
|  | H/C    |  |
|  | 1/4    |  |
|  | 1/6    |  |
|  | 1/8    |  |
|  | 2/0    |  |
|  | 2/4    |  |
|  | 2/6    |  |
|  | 2/8    |  |
|  | 3/0    |  |

2 PANEL ARCH TOP\*\*  
TEXTURED

|  | 6/8 HT |     | 8/0 HT          |
|--|--------|-----|-----------------|
|  | H/C    | S/C | Solid Core Only |
|  | 1/3    |     |                 |
|  | 1/4    |     |                 |
|  | 1/6    | 1/6 | 1/6             |
|  | 1/8    | 1/8 |                 |
|  | 1/10   |     |                 |
|  | 2/0    | 2/0 | 2/0             |
|  | 2/4    | 2/4 | 2/4             |
|  | 2/6    | 2/6 | 2/6             |
|  | 2/8    | 2/8 | 2/8             |
|  | 2/10   |     |                 |
|  | 3/0    | 3/0 | 3/0             |

2 PANEL CHEYENNE\*  
SMOOTH

|  | 6/8 HT |     | 8/0 HT          |
|--|--------|-----|-----------------|
|  | H/C    | S/C | Solid core Only |
|  | 1/3    |     |                 |
|  | 1/4    | 1/4 |                 |
|  | 1/6    | 1/6 | 1/6             |
|  | 1/8    |     |                 |
|  | 2/0    | 2/0 | 2/0             |
|  | 2/4    | 2/4 | 2/4             |
|  | 2/6    | 2/6 | 2/6             |
|  | 2/8    | 2/8 | 2/8             |
|  | 2/10   |     |                 |
|  | 3/0    | 3/0 | 3/0             |

2 PANEL LOGAN  
SMOOTH

|  | 6/8 HT |     |
|--|--------|-----|
|  | H/C    | S/C |
|  | 1/4    |     |
|  | 1/6    | 1/6 |
|  | 1/8    |     |
|  | 2/0    | 2/0 |
|  | 2/2    |     |
|  | 2/4    | 2/4 |
|  | 2/6    | 2/6 |
|  | 2/8    | 2/8 |
|  | 3/0    | 3/0 |

3 PANEL WINSLOW  
SMOOTH

|  | 6/8 HT |     | 8/0 HT          |
|--|--------|-----|-----------------|
|  | H/C    | S/C | Solid core Only |
|  | 1/3    |     |                 |
|  | 1/4    | 1/4 |                 |
|  | 1/6    | 1/6 | 1/6             |
|  | 1/8    |     |                 |
|  | 2/0    | 2/0 | 2/0             |
|  | 2/4    | 2/4 | 2/4             |
|  | 2/6    | 2/6 | 2/6             |
|  | 2/8    | 2/8 | 2/8             |
|  | 2/10   |     |                 |
|  | 3/0    | 3/0 | 3/0             |

1 PANEL LINCOLN PARK  
SMOOTH

Interior Doors

MOULDED BIFOLD - 1<sup>3</sup>/<sub>8</sub>"



|           |           |
|-----------|-----------|
| 2-DOOR    | 4-DOOR    |
| TEXTURED  | TEXTURED  |
| 2/0 X 6/7 | 4/0 X 6/7 |
| 2/4 X 6/7 | 5/0 X 6/7 |
| 2/6 X 6/7 |           |
| 2/8 X 6/7 |           |
| 3/0 X 6/7 |           |
| SMOOTH    | SMOOTH    |
| 3/0 X 6/7 | 4/0 X 6/7 |
|           | 5/0 X 6/7 |

6 PANEL TEXTURED & SMOOTH



|           |           |
|-----------|-----------|
| 2-DOOR    | 4-DOOR    |
|           |           |
| 3/0 X 6/7 | 4/0 X 6/7 |
|           | 5/0 X 6/7 |

2 PANEL SMOOTH



|           |           |
|-----------|-----------|
| 2-DOOR    | 4-DOOR    |
|           |           |
| 3/0 X 6/7 | 4/0 X 6/7 |
|           | 5/0 X 6/7 |

Interior Doors

MOULDED BIFOLD - 1 3/8"



CHEYENNE

2-DOOR

3/0 X 6/7

4-DOOR

4/0 X 6/7  
5/0 X 6/7



2 PANEL ROMAN

2-DOOR

3/0 X 6/7

4-DOOR


4/0 X 6/7  
5/0 X 6/7




## Barn Doors

OTHER STYLES, SPECIAL SIZES, FIRE-RATED DOORS ARE ALSO  
AVAILABLE—CALL FOR LEAD TIMES.


### GLOBAL POINTE KNOTTY ALDER BARNDOOR COLLECTION




1 PANEL  
SHAKER  
3/0 X 7/0 X 1-3/8  
\*\*SPECIAL ORDER



2 PANEL  
SHAKER  
3/0 X 7/0 X 1-3/8  
\*\*SPECIAL ORDER



1 PANEL  
DIAGONAL  
3/0 X 7/0 X 1-3/8  
\*\*SPECIAL ORDER



2 PANEL  
DIAGONAL  
3/0 X 7/0 X 1-3/8

## Barn Door Hardware

### ULTRA BARN DOOR HARDWARE

#### STRAIGHT STRAPS



| ITEM  | LENGTH  | FINISH       |
|-------|---------|--------------|
| 61240 | 78-3/4" | Satin Nickel |
| 61241 | 78-3/4" | Black        |
| 61242 | 78-3/4" | Bronze       |

| ITEM  | LENGTH | FINISH       |
|-------|--------|--------------|
| 61245 | 96"    | Satin Nickel |
| 61246 | 96"    | Black        |
| 61247 | 96"    | Bronze       |

#### BENT STRAPS



| ITEM  | LENGTH  | FINISH       |
|-------|---------|--------------|
| 61250 | 78-3/4" | Satin Nickel |
| 61251 | 78-3/4" | Black        |
| 61252 | 78-3/4" | Bronze       |

| ITEM  | LENGTH | FINISH       |
|-------|--------|--------------|
| 61255 | 96"    | Satin Nickel |
| 61256 | 96"    | Black        |
| 61257 | 96"    | Bronze       |

#### EXPANSION PARTS

TRACK ONLY

| ITEM  | LENGTH | FINISH       |
|-------|--------|--------------|
| 61280 | 96"    | Satin Nickel |
| 61281 | 96"    | Black        |
| 61282 | 96"    | Bronze       |



TRACK JOINER KIT

| ITEM  | LENGTH | FINISH       |
|-------|--------|--------------|
| 61285 | -      | Satin Nickel |
| 61286 | -      | Black        |
| 61287 | -      | Bronze       |


#### HANDLES



|         |                               |                       |
|---------|-------------------------------|-----------------------|
| JH61279 | Barn Door Handle, Traditional | Satin Nickel          |
| JH61277 | Barn Door Handle, Traditional | Steel - Black Finish  |
| JH61278 | Barn Door Handle, Traditional | Steel - Bronze Finish |

- Overall Length 9"
- Screw Holes 7-3/8" C to C
- Projection 1-1/2"
- Furnished with Screws (2)





# DECKING

---



Decking

DUXXBAK COMPOSITE DECKING

I.DEKK

I.Dekk is a hybrid engineered deck system with a brushed look, low maintenance requirements, and ability to maintain its color, even when in direct sun. I.Dekk contains no wood fillers and is made from a combination of rice hulls, Biodac® rein-  
forcer, and high-density polyethylene resins. I.Dekk is resistant to mold, mildew, decay, and scratching. Backed by a Limited  
Lifetime Warranty, it never requires painting or sealing.

Available Stock Color Options: Walnut, Mahogany, Cedar, Driftwood, Rustic Red and Copper Canyon



T&G DECKBOARD



PERIMETER STRIP

| STYLE                               | LENGTH                | UNIT        |
|-------------------------------------|-----------------------|-------------|
| S4S Board                           | 12' -16'-20' Lengths  | 48          |
| Tongue & Groove<br>Deck Boards      | 12'-16'-20' Lengths   | 48          |
| Feature Strip                       | 12' Length Only       | 24          |
| Perimeter Strip                     | 12' Length Only       | 24          |
| Fascia Board                        | 12' Length Only       | 24          |
| S4S Endcap                          | Reversible Endcap     |             |
| Tongue & Groove<br>Endcap           | Right and Left Endcap |             |
| Stainless Steel<br>Trim Head Screws | #7 x 2 1/4            | 350 per box |
| Post Sleeves                        | 6" x 6" x 12"         |             |
| Post Cap                            | 6" x 6"               |             |
| Trim Ring                           | 6"                    |             |

OPTIMA DEKK

OPTIMA™ Outdoor Living decking is the most technologically advanced composite decking product in the industry. OPTIMA™ decking leveraged scientific research to create a groundbreaking composite decking system with no wood or PVC. As a result, every aspect of the OPTIMA™ product line is specifically designed to combat everything Mother Nature can muster—from excessive moisture to severe freeze/thaw cycles.

| LENGTH                                             | UNIT    |
|----------------------------------------------------|---------|
| 12' -16'-20' Lengths - Grooved    Solid - 20' only | 48 pcs. |



BOARDWALK GRAY



WARM CEDAR



BLACK WALNUT





DARK MAHOGANY



SEDONA RED

Decking

BRUSHED DUXXBAK



DUXXBAK DRY-SPACE DECKING SYSTEM

DuxxBak is the only complete non-vinyl water shedding deck system on the market. It is ICC rated at 24" joist spacing and composed of a combination of Biodac<sup>®</sup>, rice hulls, high-density polyethylene resins, and other ingredients. It contains no wood flour and is resistant to fading, mold, mildew, decay, and scratching. DuxxBak is backed by a Lifetime Transferable Warranty.

Available Stock Color Options: Walnut, Mahogany, Cedar, Driftwood, Rustic Red and Copper Canyon.

| LENGTH                                      | UNIT                |
|---------------------------------------------|---------------------|
| 12'-16'-20'-24' Lengths                     | 42 pcs.             |
| Endcaps Right and Left                      |                     |
| 8 x 2 1/2" Stainless Steel Trim Head Screws | 435 pack & 100 pack |



DUXXBAK ENDCAP

CAPPED DUXXBAK



Green Bay Decking's Capped DuxxBak

Green Bay Decking's Capped DuxxBak has all the benefits of the original DuxxBak but with a new hard shell cap. It comes in four distinctive colors that are warranted to last a lifetime.

\* Use Optima S4S boards for stair treads.

| LENGTH                                       | UNIT                |
|----------------------------------------------|---------------------|
| 12'-16'-20'-24' Lengths                      | 42 pcs.             |
| Endcaps Right and Left                       |                     |
| #8 x 2 1/2" Stainless Steel Trim Head Screws | 435 pack & 100 pack |



## Decking

### ENVISION COMPOSITE DECKING

#### DISTINCTION COOL TREAD DECKING



Designed to stay cooler while providing greater traction, Envisions Cool Tread Technology™ combines comfort and beauty to create composite decking that elevates any outdoor living space.

Three Distinction colors, featuring Cool Tread Technology, offer beautiful, on-trend color blends and a surface that's up to 25% cooler\* with 25% better traction and 61% less moisture absorption than average leading competitors.

The rich colors and bold highlights of the Distinction Collection are designed to emulate the textures and natural color variations found in exotic wood. The blend of beauty and performance that Distinction provides ensures you have a one-of-a-kind deck that is built to last.

| STYLE                                                                                            | LENGTH               | UNIT | NOMINAL SIZE | ACTUAL SIZE   |
|--------------------------------------------------------------------------------------------------|----------------------|------|--------------|---------------|
|  Square Edge  | 12' -16'-20' Lengths | 48   | 1" x 6"      | 7/8" x 5-1/2" |
|  Grooved Edge | 12'-16'-20' Lengths  | 48   | 1" x 6"      | 7/8" x 5-1/2" |

#### DISTINCTION COOL TREAD DECKING COLOR OPTIONS



HAMPTON DUNES



NANTUCKET SHORE



SEASIDE PIER

ENVISION COMPOSITE DECKING


RIDGE PREMIUM DECKING




With a rich, natural appearance, Ridge Premium delivers a beautiful deck with the budget-friendly nature of wood. Softly blended colors combine with a fluted profile board to create lighter-weight, low maintenance, and long-lasting decking.

|                                                                                     | STYLE               | LENGTH               | UNIT | NOMINAL SIZE | ACTUAL SIZE   |
|-------------------------------------------------------------------------------------|---------------------|----------------------|------|--------------|---------------|
|  | Fluted Square Edge  | 12' -16'-20' Lengths | 48   | 1" x 6"      | 7/8" x 5-1/2" |
|  | Fluted Grooved Edge | 12' -16'-20' Lengths | 48   | 1" x 6"      | 7/8" x 5-1/2" |


RIDGE PREMIUM DECKING COLOR OPTIONS



BLACK WALNUT




VINTAGE OAK



GUNSTOCK



SANDSTONE



ALPINE FOG







# EXTERIOR MILLWORK

---



# MEET ACRE™ by MODERN-MILL

A Sustainable New Building Material With All The Warmth And Beauty Of Real Wood With All The Conveniences Of Composites.

- 100% Tree-free, Free of phenol, formaldehyde and adhesives. Resists water, weather and pests, guaranteed not to rot, crack, or splinter.
- Cut and craft with regular woodworking tools—no special equipment needed.
- Indistinguishable from the real thing. Leave unfinished, stain or paint
- ZERO WASTE -100% RECYCLABLE Made from up-cycled rice hulls, a natural wonder of water-resistant strength and durability.
- Water & Slip Resistant

An ideal material for almost any application, from siding to decking to furniture and more.

Now distributed by Smith Millwork, Inc.

## ACRE™ TRIM BOARDS

| Stock #     | Size Stock #         | Unit Qty |
|-------------|----------------------|----------|
| 3/4X4 ACRE  | 3/4" x 3-1/2" x 16'  | 208      |
| 3/4X6 ACRE  | 3/4" x 5-1/2" x 16'  | 128      |
| 3/4X8 ACRE  | 3/4" x 7-1/4" x 16'  | 96       |
| 3/4X10 ACRE | 3/4" x 9-1/4" x 16'  | 80       |
| 3/4X12 ACRE | 3/4" x 11-1/4" x 16' | 64       |
| 5/4X4 ACRE  | 1" x 3-1/2" x 18'    | 156      |
| 5/4X6 ACRE  | 1" x 5-1/2" x 18'    | 120      |



## ACRE™ EDGE & CENTER BEAD SIDING

| Stock #  | Size Stock #        | Unit Qty |
|----------|---------------------|----------|
| ACRE ECB | 3/4" x 5-3/8" x 16' | 160      |



## ACRE™ FASCIA BOARD

| Stock #     | Size Stock #         | Unit Qty |
|-------------|----------------------|----------|
| 1/2X12 ACRE | 1/2" x 11-1/4" x 12' | 96       |

## Exterior Millwork

### ACRE™ SHEETS

| Stock #         | Size            | Stock # | Unit Qty |
|-----------------|-----------------|---------|----------|
| 3/4" 4X8 ACRE   | 3/4" x 4' x 8'  |         | 16       |
| 1/2" 4x8 ACRE   | 1/2" x 4" x 8'  |         | 24       |
| 1/2" 4x10 ACRE* | 1/2" x 4" x 10' |         | 24       |
| 1" 4X8 ACRE     | 1" x 4" x 8'    |         | 12       |

\*Smooth & Embossed



### ACRE™ PORCH FLOOR BOARDS

| Stock #    | Size                  | Stock # | Unit Qty |
|------------|-----------------------|---------|----------|
| ACRE-10 PB | 15/16" x 3-1/8" x 10' |         | 168      |
| ACRE-12 PB | 15/16" x 3-1/8" x 12' |         | 168      |
| ACRE-16 PB | 15/16" x 3-1/8" x 16' |         | 168      |



### ACRE™ DECKING BOARDS

#### GROOVED EDGE DECKING

| Stock #    | Size                  | Stock # | Unit Qty |
|------------|-----------------------|---------|----------|
| ACRE-12 GE | 15/16" x 5-1/2" x 12' |         | 96       |
| ACRE-16 GE | 15/16" x 5-1/2" x 16' |         | 96       |
| ACRE-20 GE | 15/16" x 5-1/2" x 20' |         | 96       |

#### SOLID EDGE DECKING

| Stock #    | Size                  | Stock # | Unit Qty |
|------------|-----------------------|---------|----------|
| ACRE-12 SE | 15/16" x 5-1/2" x 12' |         | 96       |
| ACRE-16 SE | 15/16" x 5-1/2" x 16' |         | 96       |
| ACRE-20 SE | 15/16" x 5-1/2" x 20' |         | 96       |

#### CORTEX PLUGS

| Stock #  | Coverage         | Bag Qty |
|----------|------------------|---------|
| PLUG-50  | 50 LFT Coverage  | 80      |
| PLUG-250 | 250 LFT Coverage | 400     |



Exterior Millwork



## ACRE™ SHIPLAP SIDING

| Stock #   | Size Stock #               | Unit Qty |
|-----------|----------------------------|----------|
| 1X6 ACRE  | 3/4" x 5-7/16" x 16' & 20' | 128      |
| 1X8 ACRE  | 3/4" x 7-3/16" x 16' & 20' | 96       |
| 1X10 ACRE | 3/4" x 9-3/16" x 16' & 20' | 80       |

## ACRE™ NICKLE GAP

| Stock #      | Size Stock #         | Unit Qty |
|--------------|----------------------|----------|
| 1X6 ACRE NCK | 3/4" x 5-7/16" x 16' | 128      |
| 1X8 ACRE NCK | 3/4" x 7-3/16" x 16' | 96       |



## ACRE™ V-GROOVE

| Stock #      | Size Stock #         | Unit Qty |
|--------------|----------------------|----------|
| 1X6 ACRE VGV | 3/4" x 5-7/16" x 16' | 128      |
| 1X8 ACRE VGV | 3/4" x 7-3/16" x 16' | 96       |





## ACRE™ FLAT CROWN

**Stock #**  
ACRE-4 FC

**Size Stock #**  
1" x 4" x 16'

**Unit Qty**  
208



## ACRE™ RABBETED TRIM

**Stock #**  
5/4X6X20 ACRE RT


**Size Stock #**  
5/4" x 5-1/2" x 20'

**Unit Qty**  
96



## Exterior Millwork PVC

### BASE CAP




**SM 164**  
 $1\frac{1}{16} \times 1\frac{1}{8}$

### BED MOULD



**SM 75**  
 $\frac{9}{16} \times 1\frac{9}{16}$


### BRICK MOULD




**SM 180**  
 $1\frac{1}{4} \times 2 \times 17'6''$

**SM 180-7**  
 $1\frac{1}{4} \times 2 \times 7'$   
\*MITERED

### CEILING PANEL




**DBC PVC**  
 $\frac{1}{2} \times 5\frac{1}{8} \times 16'$



**SM 180-J CHANNEL**  
 $1\frac{1}{4} \times 3 \times 18'$

### CROWN



**RAM CROWN**  
 $1\frac{13}{32} \times 2\frac{1}{16}$

**SM 45**  
 $\frac{9}{16} \times 5\frac{1}{4}$

**SM 47**  
 $1\frac{1}{16} \times 4\frac{5}{8}$


**SM 49**  
 $\frac{9}{16} \times 3\frac{5}{8}$

### DRIP CAP




**SM 197**  
 $1\frac{1}{16} \times 1\frac{5}{8}$


### MULLION



**SM 2430**  
 $1\frac{1}{32} \times 1\frac{3}{8} \times 14'$



**802**  
 $1\frac{1}{16} \times 1\frac{1}{2} \times 7'$




**PVC MULLION**  
 $1\frac{1}{16}'' \times 1\frac{1}{2}'' \times 7'$



## Exterior Millwork PVC

### QUARTER ROUND



**SM 105**

$\frac{3}{4} \times \frac{3}{4}$

### SHINGLE MOULD



**SM 210**

$1\frac{1}{16} \times 1\frac{5}{8}$

### TRIM BOARD & SHEETS

#### SHEETS

$\frac{1}{2} \times 4' \times 8'$

$\frac{3}{4} \times 4' \times 8'$

$\frac{3}{4} \times 4' \times 10'$

#### S4S

$\frac{3}{4} \times 3\frac{1}{2} \times 18'$

$\frac{3}{4} \times 5\frac{1}{2} \times 18'$

$\frac{3}{4} \times 7\frac{1}{4} \times 18'$

$\frac{3}{4} \times 9\frac{1}{4} \times 18'$

$\frac{3}{4} \times 11\frac{1}{4} \times 18'$


$\frac{5}{4} \times 3\frac{1}{2} \times 18'$

$\frac{5}{4} \times 5\frac{1}{2} \times 18'$

$\frac{5}{4} \times 7\frac{1}{4} \times 18'$


$\frac{5}{4} \times 9\frac{1}{4} \times 18'$

### SILL




**937 PVC SILL NOSE**

$1\frac{3}{8} \times 1\frac{5}{16} \times 16'$



**2410 PVC SILL NOSE**

$1\frac{3}{4} \times 2\frac{1}{32} \times 16'$



**948 PVC SILL**

$1\frac{1}{4} \times 5 \times 16'$

### LATTICE



**SM 266**


$\frac{1}{4} \times 1\frac{1}{2}$





# RAILING & ACCESSORIES

---



## Railing & Accessories

### ALUMINUM AF-CO RAILING & ACCESSORIES


AF-CO-Rail Aluminum features classic lines that enhance any architectural setting. Extruded from 6063 aluminum alloy, AF-CO-Rail will not rust. Extruded, machined brackets afford great strength, durability and ease of installation. AF-CO-Rail Aluminum is finished with durable AAMA 2604 powder coat paint. Smith Millwork stocks 36" high railing with the ability to special order 42". Railing is offered in Black and Bronze.

#### SERIES 100 LEVEL RAIL

AVAILABLE IN 4', 6', 8' & 10'



Level (included with each Rail Kit)




45 Degree (requires 4" or wider post)




#### SERIES 100 FIXED & ADJUSTABLE STAIR RAIL

AVAILABLE IN 4', 6', 8' & 10'

##### FIXED STAIR RAIL



BRACKET SETS  
(INCLUDED WITH EACH RAIL KIT)  
FIXED STAIR



TOP

BOTTOM

ADJUSTABLE STAIR



TOP

BOTTOM

##### ADJUSTABLE STAIR RAIL



#### 3" POST TO POST KITS

38", 44" & 54" SIZES



KIT CONTAINS:  
• 3" ALUMINUM POST  
• ALUMINUM CAP & BASE  
• ACQ PAD

#### 4" POST TO POST KITS

38" & 44" SIZES



KIT CONTAINS:  
• 4" ALUMINUM POST  
• ALUMINUM CAP & BASE  
• ACQ PAD

#### 1-7/8" OVER THE POST KITS

FOR 36" LEVEL & FIXED STAIR RAIL

KIT CONTAINS:

- 1-7/8" WIDE ALUMINUM POST
- 5 BRACKET STYLES AVAILABLE
- ALUMINUM BASE TRIM
- ACQ PAD



OVER-THE-POST LINE POST



OVER-THE-POST 90° POST



OVER-THE-POST 45° POST



OVER-THE-POST END POST



OVER-THE-POST  
FIXED STAIR  
LINE POST

## Railing & Accessories

### ALUMINUM AF-CO RAILING & ACCESSORIES

#### ADJUSTABLE GATE KIT



##### KIT CONTAINS:

- Two 1-7/8" Post with Over-the-Post End Post Top Rail Brackets to serve as the vertical framework of the gate.
- Two Center Rail Mounting Brackets

Adjustable Gate Kit requires a section of AF-CO-Rail Aluminum Level Rail

- Rail section can be cut to any width required for the opening
- Does not include hinges, latches or mounting hardware

Also available:

- Black Latch Key Lock
- Black Top Pull Safety Latch
- Self-Closing Hinges (Black-per pair)

| BRONZE        | BLACK         | WHITE TEXTURE  | SIZE                     | DESCRIPTION                           |
|---------------|---------------|----------------|--------------------------|---------------------------------------|
| 100L-4 BZTX   | 100L-4 BTX    | 100L-4 WHTX    | 36" x 48"                | 4' Level Series 100 Rail              |
| 100L-6 BZTX   | 100L-6 BTX    | 100L-6 WHTX    | 36" x 72"                | 6' Level Series 100 Rail              |
| 100L-8 BZTX   | 100L-8 BTX    | 100L-8 WHTX    | 36" x 96"                | 8' Level Series 100 Rail              |
| 100L-10 BZTX  | 100L-10 BTX   | 100L-10 WHTX   | 36" x 120"               | 10' Level Series 100 Rail             |
| 100S-4 BZTX   | 100S-4 BTX    | 100S-4 WHTX    | 36" X 48"                | 4' Fixed Angle Stair Series 100 Rail  |
| 100S-6 BZTX   | 100S-6 BTX    | 100S-6 WHTX    | 36" x 72"                | 6' Fixed Angle Stair Series 100 Rail  |
| 100S-8 BZTX   | 100S-8 BTX    | 100S-8 WHTX    | 36" x 96"                | 8' Fixed Angle Stair Series 100 Rail  |
| 100S-10 BZTX  | 100S-10 BTX   | 100S-10 WHTX   | 36" x 120"               | 10' Fixed Angle Stair Series 100 Rail |
| 100AS-6 BZTX  | 100AS-6 BTX   | 100AS-6 WHTX   | 36" x 72"                | 6' Adjustable Stair Series 100 Rail   |
| 100AS-8 BZTX  | 100AS-8 BTX   | 100AS-8 WHTX   | 36" x 96"                | 8' Adjustable Stair Series 100 Rail   |
| RB-4 BZTX     | RB-4 BTX      | RB-4 WHTX      |                          | 4' Round Baluster Kit                 |
| RB-6 BZTX     | RB-6 BTX      | RB-6 WHTX      |                          | 6' Round Baluster Kit                 |
| RB-8 BZTX     | RB-8 BTX      | RB-8 WHTX      |                          | 8' Round Baluster Kit                 |
| RB-10 BZTX    | RB-10 BTX     | RB-10 WHTX     |                          | 10' Round Baluster Kit                |
| SQB-4 BZTX    | SQB-4 BTX     | SQB-4 WHTX     |                          | 4' Square Baluster Kit                |
| SQB-6 BZTX    | SQB-6 BTX     | SQB-6 WHTX     |                          | 6' Square Baluster Kit                |
| SQB-8 BZTX    | SQB-8 BTX     | SQB-8 WHTX     |                          | 8' Square Baluster Kit                |
| SQB-10 BZTX   | SQB-10 BTX    | SQB-10 WHTX    |                          | 10' Square Baluster Kit               |
|               | SQAB-6/42 BTX |                | 42" x 6'                 | 42" Square Baluster Kit               |
|               | SQAB-8/42 BTX |                | 42" x 8'                 | 42" Square Baluster Kit               |
| RAB-4 BZTX    | RAB-4 BTX     | RAB-4 WHTX     | Fixed Stair Applications | 4' Round Angled Baluster Kit          |
| RAB-6 BZTX    | RAB-6 BTX     | RAB-6 WHTX     | Fixed Stair Applications | 6' Round Angled Baluster Kit          |
| RAB-8 BZTX    | RAB-8 BTX     | RAB-8 WHTX     | Fixed Stair Applications | 8' Round Angled Baluster Kit          |
| SQAB-4 BZTX   | SQAB-4 BTX    | SQAB-4 WHTX    | Fixed Stair Applications | 4' Square Angled Baluster Kit         |
| SQAB-6 BZTX   | SQAB-6 BTX    | SQAB-6 WHTX    | Fixed Stair Applications | 6' Square Angled Baluster Kit         |
| SQAB-8 BZTX   | SQAB-8 BTX    | SQAB-8 WHTX    | Fixed Stair Applications | 8' Square Angled Baluster Kit         |
| SQAB-10 BZTX  | SQAB-10 BTX   | SQAB-10 WHTX   | Fixed Stair Applications | 10' Square Angled Baluster Kit        |
|               | SQAB-6/42 BTX |                | 42" x 6'                 | 42" Square Angled Baluster Kit        |
|               | SQAB-8/42 BTX | SQAB-8/42 WHTX | 42" x 8'                 | 42" Square Angled Baluster Kit        |
| 3x38PK BZTX   | 3x38PK BTX    | 3x38PK WHTX    | Post-To-Post             | 3" x 3" x 38" Square Post Kit         |
| 3x44PK BZTX   | 3x44PK BTX    | 3x44PK WHTX    | Post-To-Post             | 3" x 3" x 44" Square Post Kit         |
| 3x54PK BZTX   | 3x54PK BTX    | 3x54PK WHTX    | Post-To-Post             | 3" x 3" x 54" Square Post Kit         |
| 4x38PK BZTX   | 4x38PK BTX    | 4x38PK WHTX    | Post-To-Post             | 4" x 4" x 38" Square Post Kit         |
| 4x44PK BZTX   | 4x44PK BTX    | 4x44PK WHTX    | Post-To-Post             | 4" x 4" x 44" Square Post Kit         |
| 4x44PSK BZTX  | 4x44PSK BTX   | 4x44PSK WHTX   | Post Sleeve              |                                       |
| HDW-AS BZTX   | HDW-AS BTX    | HDW-AS WHTX    |                          | Level Rail Hardware Kit               |
| HDW-L BZTX    | HDW-L BTX     | HDW-L WHTX     |                          | Stair Rail Hardware Kit               |
| HDW-S BZTX    | HDW-S BTX     | HDW-S WHTX     |                          | Level Rail - 45 Degree Bracket Kit    |
| 45BS BZTX     | 45BS BTX      | 45BS WHTX      |                          | 0-45 Level Rail Bracket Kit           |
| O-45HP BZTX   | O-45HP BTX    | O-45HP WHTX    |                          | Adjustable Gate Kit                   |
| AGK BZTX      | AGK BTX       | AGK WHTX       |                          | Fixed Welded Gate                     |
|               | FWG36 BTX     |                | 36" x 36"                | Fixed Welded Gate                     |
|               | FWG42 BTX     |                | 42" x 36"                | Fixed Welded Gate                     |
| KLGL BZTX     | KLGL BTX      | KLGL WHTX      |                          | Black Key Latch Key Lock              |
| OTP LBP BZTX  | OTP LBP BTX   | OTP LBP WHTX   | Over-The-Post            | Line Bracket Post                     |
| OTP 90BP BZTX | OTP 90BP BTX  | OTP 90BP WHTX  | Over-The-Post            | 90 Degree Bracket Post                |
| OTP 45BP BZTX | OTP 45BP BTX  | OTP 45BP WHTX  | Over-The-Post            | 45 Degree Bracket Post                |
| OTP EP BZTX   | OTP EP BTX    | OTP EP WHTX    | Over-The-Post            | End Post                              |
| OTP FSLP BZTX | OTP FSLP BTX  | OTP FSLP WHTX  | Over-The-Post            | Fixed Stair Line Post                 |
| 22.5 BS BZTX  | 22.5 BS BTX   | 22.5 BS WHTX   |                          | 22.5 Degree Bracket Kit               |

AFCO SERIES 175 CABLE RAILING & ACCESSORIES

RAIL KIT

- Breadloaf Top Rail with Stabilizer Baluster Connector Attached.
- Bottom Rail with Stabilizer Baluster Connector Attached.
- Pre-Drilled Stabilizer Baluster
- Top and Bottom Rail Mounting Brackets
- Support Block Material
- Mounting Hardware



INFILL OPTIONS

- 1/8" Braided 316 Stainless Steel Cable with 2-3/4" pre-swaged threaded stud and mounting hardware.
- Terminating fittings, for both Line and Corner run applications, packed separately.



Corner Fitting



Line Fitting


POST OPTIONS

- Line Post pre-drilled on opposing sides for cable runs.
- Corner Post pre-drilled on opposing sides for cable runs and threaded on middle side for corner fitting.


| Rail Style  | Length |    |    |     | Height |     |
|-------------|--------|----|----|-----|--------|-----|
|             | 4'     | 6' | 8' | 10' | 36"    | 42" |
| Level       |        | •  |    |     | •      | •   |
| Fixed Stair |        | •  |    |     | •      | •   |

| Cable Length |     |     |     |
|--------------|-----|-----|-----|
| 10'          | 20' | 30' | 50' |
| •            | •   | •   | •   |

| Post Style | Height |     |
|------------|--------|-----|
|            | 38"    | 44" |
| Line       | •      | •   |
| Corner     | •      | •   |



Level



Fixed Stair  
Accommodates 32 to 36 degrees



## AFCO SERIES 200 RAILING & ACCESSORIES

### RAIL KIT

- Unique top rail profile can accommodate a deck board, wood or composite, mounted on top to draw the color of the decking into the rail.
- Bottom Rail with Stabilizer Baluster Connector Attached.
- Top and Bottom Mounting Brackets
- Support Block Material
- Mounting Hardware



### INFILL OPTIONS

- 3/4" Round or Square Baluster
- Cut to Length for 36" or 42" installed rail height
- Packaged in Exact Counts for each rail length



### SERIES 300 PRE-ASSEMBLED RAIL PANELS

- Unique tension fit baluster design provides a solid, pre-assembled rail panel ready for installation.
- Saves the time and labor of assembling a kitted rail on the job site.
- Traditional "breadloaf" shaped top rail design provides a more robust aesthetic than other metal rail systems.



### Currently Stocking:

- 6' & 8' Series 300 Level Rail Panels in Black Textured with Square Balusters
- 6' & 8' Series 300 Stair Rail Panels in Black Textured with Square Balusters

| Style | Length | Height | Baluster Style |
|-------|--------|--------|----------------|
| Level | 6', 8' | 36"    | Square         |
| Stair | 6', 8' | 36"    | Square         |


Railing & Accessories

ENVISION VINYL RAILING SYSTEMS

V110

6', 8', AND 10' LEVEL KITS / 6' AND 8' STAIR KITS

- 36" Residential / 42" Commercial (Special Order)
- Limited Lifetime Warranty
- ICC AC174-09 Compliant / ESR #1657



ENVISION VINYL RAIL KITS

ENVISION VINYL RAIL ACCESSORIES


| ITEM#           | DESCRIPTION                                                |          |                                                  |
|-----------------|------------------------------------------------------------|----------|--------------------------------------------------|
| LAN-6 SQ        | Traditional Level Rail Kit - White - Square Baluster - 6'  | 4 CPC    | 4" White Classic Post Cap                        |
| LAN-8 SQ        | Traditional Level Rail Kit - White - Square Baluster - 8'  | 4 EPPC   | 4" White External Pyramid Post Cap               |
| LAN-10 SQ       | Traditional Level Rail Kit - White - Square Baluster - 10' | 4 NEPC   | 4" White New England Post Cap                    |
| SLAN-6 SQ       | Traditional Stair Rail Kit - White - Square Baluster - 6'  | 4 CPTR   | 4" (1 pc ) White Classic Post Trim Ring          |
| SLAN-8 SQ       | Traditional Stair Rail Kit - White - Square Baluster - 8'  | 4 NEPTR  | 4" (1 pc ) White New England Post Trim Ring      |
| 4x4 39PS        | 4 x 4 x 39" White Post Sleeve Bagged                       | 6 CPC    | 6" White Classic Post Cap                        |
| 4x4 48PS        | 4 x 4 x 48" White Post Sleeve Bagged                       | 6 CPTR   | 6" (1 pc) White Classic Post Trim Ring           |
| 4x4 96PS        | 4 x 4 x 96" White Post Sleeve Bagged                       |          |                                                  |
| 4x4 108PS       | 4 x 4 x 108" White Post Sleeve Bagged                      | LAN LBK  | Traditional Level White Mounting Bracket         |
| 6x6 108PS       | 6 x 6 x 108" White Post Sleeve Bagged                      | LAN SBK  | Traditional Stair White Mounting Bracket         |
| 6.5 x 6.5 108PS | 6.5 x 6.5 x 108" White Post Sleeve Bagged                  | LAN BAK  | Traditional Bracket Adapter Kit                  |
| 4x4 42SP        | 4 x 4 x 42" Structural Post                                |          |                                                  |
|                 |                                                            | 4x4 CPP  | Colonial Porch Post - White - 4" x 4" x 108"     |
|                 |                                                            | 5x5 CPP  | Colonial Porch Post - White - 5" x 5" x 108"     |
|                 |                                                            | 5X5 TPP  | Traditional Porch Posts - White - 5" x 5" x 108" |
|                 |                                                            | UPPTR    | (4 pc) Universal "PORCH" Post Trim Ring - White  |
|                 |                                                            | UPSTR    | (4 pc) Universal Post "SLEEVE" Trim Ring - White |
|                 |                                                            | 90 QRB   | 90 Degree Quick Return - White                   |
|                 |                                                            | 8-8 SGR  | 8'8" Secondary Grab Rail - White                 |
|                 |                                                            | Alum Con | Aluminum Connector                               |
|                 |                                                            | 3 MB     | 3" Mounting Bracket                              |

## Railing & Accessories

### ENVISION COMPOSITE RAILING - SPECIAL ORDER

A more traditional style of railing, Envision's composite railing features:

- larger profile
- two-piece top railing, ideal for in-rail LED lighting
- available in two colors
- five modern infill options





Standard Top Rail



Drink Rail - Easily convert top rail into a drink rail with a simple bracket addition.

### AVAILABLE COLOR OPTIONS



### AVAILABLE INFILL OPTIONS



Round Aluminum



4in Glass Slats



Horizontal Cable



Horizontal Baluster



Square Composite


Notes

Notes



## Notes







P.O. Drawer T | Lexington, NC | Rossville, GA

800.222.8498 | [www.smithmillwork.com](http://www.smithmillwork.com) | fax: 336.243.2688

©Copyright 2026. Smith Millwork, Inc. All rights reserved.